Dr. John Berschback Dr. John Drawbert Dr. Troy Berg

Chippewa Valley Orthopedics & Sports Medicine

1200 OakLeaf Way, Suite A757 Lakeland Drive, Suite BAltoona, WI 54720Chippewa Falls, WI 54729

Patient_____ D.O.S._____

REVERSE TOTAL SHOULDER PROTOCOL

	Week 0-2	Week 3-4	Week 5-8	Week 9-12	Week 12-16	Month 5-6	
Passive Flexion	0-60°	90°	90-115°	120-125°	Increase as tolerated	As tolerated	
Passive IR	30° (at 30° abduction)	30°	45°	As tolerated, advar	vance appropriately		
Passive ER	0° (at 30° abduction)	30°	40°	45-50° at 90° abduction	As tolerated, advance appropriately		
Sling	yes	yes, as needed	D/C – wear for comf	ort only			
PT visits/week	1-3	1-3	1-3	1-3	1-3	Monitor	
Exercises	Pendulum	AROM Sidelying flexio			Continue all exercises for	Progress Fundamental	
NOTE: Individual progression may vary. Follow MD's instructions.	Gripping	Pulleys		supine flexion, sidelying ER	achieving ROM and strength	shoulder exercise program	
	Isometric Abductors/ER/IR	Isometrics Flex/Ext	Isometrics All planes, increase intensity	Advance to isotonics flexion, Ext, ER	Initiate light active functional exercises	HEP: exercise daily	
	AROM Elbow/wrist	AAROM IR/ER/Flex	AAROM Advance as tolerated	Tundumentur		With Physician approval, initiate	
	(715) 839-9266	Rhythmic Stabilization			shoulder program	interval task specific program	
Please Contact Northwoods Therapy Associates with questions:	Altoona, WI (715) 723-5060 Chippewa Falls, WI	Precautions: No IR behind the back. No excessive horizontal abduction. No active ER behind head or neck. No shoulder extension behind the body.		Strength & Stabilization tubing ER, Standing Full Can, prone exercises, biceps/triceps May perform pool exercises	Criteria to Advance to week 16 and beyond: PROM: Flexion 0-145° ER: (at 90° abd) 33-55° IR : (at 90° abd) 45-55° Strength Level 4/5 for ER/IR/abd		
September 2015							