## Dr. Brent Carlson, Dr. Mark McCarthy

Chippewa Valley Orthopedics & Sports Medicine

1200 OakLeaf Way, Suite A757 Lakeland Drive, Suite BAltoona, WI 54720Chippewa Falls, WI 54729

Patient	
D.O.S	

## **BICEPS TENODESIS PROTOCOL**

	WEEK 1-2 Begins on DOS	<b>WEEK 3-4</b>	WEEK 5-6	WEEK 7-8	WEEK 9+	
PASSIVE SCAPTION	Painfree 0-90° Increase as tolerated		J, painfree			
ACTIVE SCAPTION	NONE	Pain free AAROM	Painfree AROM	FULL		
FLEXION	Passive to AA 0-90 Advance as able, no restrictions					
PASSIVE ER	Painfree, no restrictions	Continue to advance, no pain	Full			
ACTIVE ER	NONE	Pain free AAROM	Advance as tolerated	erated		
PASSIVE IR	NONE Advance as able					
IMMOB/SLING	YES	YES	YES	WEAN	D/C sling	
P.T. visits/week	1-2	2-3	2-3	1-3	1-3	
EXERCISES	AROM (cervical, wrist, hand. AAROM for elbow flexion/extension/supination:painfree)					
	Passive Pendulums AAROM wand FLEX, ER AROM for FLEX and ER					
	Table Slides		Biceps AAROM progressing to AROM & Resistance as tolerated			
Any questions, please contact :	PROM of shoulderProgressing to AAROM as tolerated and indicated above					
please contact :	Joint	Rhythmic Stabilization /		Advance scapular stabilization and		
Northwoods Therapy Associates	mobilizations Initiate Isometric Scapula resistance as tolerated		r Stabilization, add strengthening as tolerated			
Altoona, WI (715) 839-9266	**No isolated biceps contraction	Weight bearing on table, elbow ext	Swiss Ball, roll/retract	Prone isotonics (row, ext, abd)		
(715) 839-9200	or AROM for 6	Sub-max isometrics with flexed elbowMax Isometrics progressing to	Max Isometrics	PRE's, progress to 90/90 position and PNF		
Chippewa Falls, WI (715) 723-5060	weeks. Painfree supination in sling		progressing to manual resistance			
	is allowed.	**NO isolated BICEPS contraction	mandal resistance	Isotonics with tubing Flex, ER, IR	Add Plyometrics, Return to task specific activities	
September 2015			UBE			