

Dr. Mark McCarthy
 Chippewa Valley Orthopedics & Sports Medicine
 1200 OakLeaf Way, Suite A Altoona, WI 54720
 757 Lakeland Drive, Suite B Chippewa Falls, WI 54729

Patient _____
 D.O.S. _____

Arthroscopic Rotator Cuff Repair

	0-2 WEEKS Begins on DOS	2-4 WEEKS	4-12 WEEKS	12-16 WEEKS	WEEK 16+	
FLEXION	NONE	PROM to 90	Begin AAROM and AROM, progress as tolerated			
ABDUCTION	NONE	PROM to 45	Begin AAROM and AROM, progress as tolerated			
EXTENSION	NONE	PROM to 20	Begin AAROM and AROM, progress as tolerated			
ER	NONE	PROM to 45	Begin AAROM and AROM, progress as tolerated			
IR	NONE	PROM	Begin AAROM and AROM, progress as tolerated			
IMMOB/SLING	All times 0-2 weeks	Worn daytime only	Wean			
P.T. visits/week	0	2-3	2-3	1-3	1-3	
EXERCISES	AROM (cervical, elbow, wrist, hand) *no active elbow flexion for 6 weeks with biceps tenodesis*					
	Passive Pendulums	Posterior capsule joint mobilizations				
Any questions, please contact : Northwoods Therapy Associates Altoona, WI (715) 839-9266 Chippewa Falls, WI (715) 723-5060	<ul style="list-style-type: none"> PT visits/week may vary Individual exercise progression may vary Return to sport/work by MD only. 	Scapular retraction/Depression	Begin resistive exercises for scapular stabilizers			
		Closed Chain Scapula	Deltoid/rotator cuff isometrics @ 8 weeks, progress to deltoid/cuff resistive exercises			
			UBE			
			<ul style="list-style-type: none"> If distal clavicle excision, no horizontal adduction for 8 weeks 	Emphasize ER and latissimus eccentrics, glenohumoral stabilization.		
				Begin muscle endurance activities		
				Cycling/Running @ 12 weeks		
		Aggressive scapular stabilization and eccentric strengthening				
		Begin plyometrics				
May 2020						